

From: [Gary Moore](#)
To: [Wilkin Shannon](#)
Subject: Re: Fw: CERCLA
Date: 09/11/2008 10:54 AM

Ron:


It is a PRP Removal Action:

Falcon Refinery
Oily Sludge Tank Bottoms (Non Haz)

Thanks

Gary Moore
EPA Region 6
Response and Prevention Branch
214-789-1627
moore.gary@epa.gov
▼ [Wilkin Shannon/R6/USEPA/US](#)

**Wilkin
Shannon/R6/USEPA/US**

To: Gary Moore/R6/USEPA/US@EPA
cc
Subject: Re: Fw: CERCLA 

09/11/2008 08:08 AM

Good morning Gary, please tell me what waste you intend to send to US Ecology and from which one of your sites? Thanks much.

Wilkin Ronald Shannon
Hazardous Waste Enforcement Branch
Compliance Assurance & Enforcement Division
U.S. EPA Region 6
(214) 665-2282 - voice
(214) 665-7264 - fax
shannon.wilkin@epa.gov
▼ [Gary Moore/R6/USEPA/US](#)

**Gary
Moore/R6/USEPA/US**

To: Wilkin Shannon/R6/USEPA/US@EPA
cc
Subject: Fw: CERCLA

09/10/2008 11:46 AM

Ron:



9566899

Could you let me know if U.S. Ecology in Robstown, TX is CERCLA approved. See the email below.

Thanks

Gary Moore
EPA Region 6
Response and Prevention Branch
214-665-6609
moore.gary@epa.gov

----- Forwarded by Gary Moore/R6/USEPA/US on 09/10/2008 11:44 AM -----

"Stephen Halasz"
<SHalasz@kleinfelder.com>

To Gary Moore/R6/USEPA/US@EPA
cc "Richard Bergner" <rbergner@rflaw.net>
Subject CERCLA

09/09/2008 03:20 PM

Gary,

Is the US Ecology disposal facility in Robstown, a CERCLA approved facility? We are proposing to solidify the tank bottom waste, which has been characterized as non hazardous, at the facility and dispose of the waste at the facility in their landfill.

Stephen Halasz, P.G.
Environmental Department Manager

3601 Manor Road
Austin, TX 78723
(o) 512.926.6650
(c) 512.796.9449

Warning: Information provided via electronic media is not guaranteed against defects including translation and transmission errors.

If the reader is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this information in error, please notify the sender immediately.